

EXHIBIT 4 - SCHEDULE- A

MacDonald’s Recommendations for DNA testing- miniSTR and/or YSTR testing.¹

Exhibit No.	Description	Trial Exhibit No.	DE-46 1997 DNA Mot	DE-73 1998 Motion to Compel	DE-86 DC Order 12/11/98	Exam by AFIP	AFIP Results DE-123-2	IPA Testing Eligible ?
A	Club	GX306	No	YES	DENIED	NO	NONE	NO
B1	OLD HICKORY KNIFE	GX313	No	YES	DENIED	NO	NONE	NO
B2	GENEVA FORGE KNIFE	GX311	No	YES	DENIED	NO	NONE	NO
C	ICE PICK	GX312	No	YES	DENIED	NO	NONE	NO
D13	BLOOD FM EX. B2/GX311	GX115	No	YES	DENIED	NO	NONE	NO

¹A “No” in the “IPA testing eligible ” column reflects that the particular exhibit is not eligible for testing under the IPA based on one or more of the following provisions: §3600(a)(3)(A)(ii), §3600(a)(3)(B), or §3600(a)(10)(i). **Exhibit 4**

Exhibit No.	Description	Trial Exhibit No.	DE-46 1997 DNA Mot	DE-73 1998 Motion to Compel	DE-86 DC Order 12/11/98	Exam by AFIP	AFIP Results DE-123-2	IPA Testing Eligible ?
D26	BLOOD FM EAST BR CEILING	NONE	No	YES	DENIED	NO	NONE	NO
D29	BLOOD FM FOOTBOARD MASTER BED	NONE	No	YES	DENIED	NO	NONE	NO
D31	BLOOD FM PINK TISSUE	NONE	NO	YES	DENIED	NO	NONE	NO
D33	BLOOD FM EYEGLASSES	D33	NO	YES	DENIED	NO	NONE	NO
D49	PINK TISSUE	NONE	NO	YES	DENIED	NO	NONE	NO
D108	RBS FM BASEBOARD NEAR HALL BATH	NONE	NO	YES	DENIED	NO	NONE	NO
D121	RBS FM KIM'S PILLOW COVER	NONE	NO	YES	DENIED	NO	NONE	NO

Exhibit No.	Description	Trial Exhibit No.	DE-46 1997 DNA Mot	DE-73 1998 Motion to Compel	DE-86 DC Order 12/11/98	Exam by AFIP	AFIP Results DE-123-2	IPA Testing Eligible ?
D130	RBS HEADBOARD KIM'S BED	NONE	NO	YES	DENIED	NO	NONE	NO
D132	RBS WEST WALL KIM'S BEDROOM	NONE	NO	YES	DENIED	NO	NONE	NO
D137	RBS SOUTH WALL KIM'S BEDROOM	NONE	NO	YES	DENIED	NO	NONE	NO
D144	"PORTION OF HALL FLOOR AT WEST ENTRANCE BEARING RED BROWN STAINS"	D144	NO	YES	DENIED	NO	NONE	NO

Exhibit No.	Description	Trial Exhibit No.	DE-46 1997 DNA Mot	DE-73 1998 Motion to Compel	DE-86 DC Order 12/11/98	Exam by AFIP	AFIP Results DE-123-2	IPA Testing Eligible ?
D151	“PORTION OF HALL FLOOR BETWEEN BATHROOM & SOUTH BR BEARING RED BROWN STAINS”	NONE	NO	YES	DENIED	NO	NONE	NO
D233	VIAL C/FINGERNAIL SCRAPINGS MARKED “LEFT HAND”	MFI-GX284	YES	YES	GRANTED	VIAL #6 AFDIL 43A	NONE	NO
D234	VIAL C/FINGERNAIL SCRAPINGS MARKED “ R. HAND MOTHER”	MFI-GX286	YES	YES	GRANTED	VIAL #2 AFDIL 67A	NONE	NO

Exhibit No.	Description	Trial Exhibit No.	DE-46 1997 DNA Mot	DE-73 1998 Motion to Compel	DE-86 DC Order 12/11/98	Exam by AFIP	AFIP Results DE-123-2	IPA Testing Eligible ?
D235	VIAL C/FINGERNAIL SCRAPINGS MARKED " R. HAND KIM"	MFI-GX288	YES	YES	GRANTED	VIAL #4 AFDIL 65A	NONE	NO
D236	VIAL C/FINGERNAIL SCRAPINGS MARKED " L. HAND KIM"	MFI-GX282	YES	YES	GRANTED	VIAL #8 AFDIL 64A	NONE	NO
D237	VIAL C/FINGERNAIL SCRAPINGS MARKED "L. HAND CHRIS"	MFI-GX285	YES	YES	GRANTED	VIAL #7 AFDIL 92A	NONE	NO

Exhibit No.	Description	Trial Exhibit No.	DE-46 1997 DNA Mot	DE-73 1998 Motion to Compel	DE-86 DC Order 12/11/98	Exam by AFIP	AFIP Results DE-123-2	IPA Testing Eligible ?
D238	VIAL C/FINGERNAIL SCRAPINGS MARKED "R. HAND CHRIS"	MFI-GX287	YES	YES	GRANTED	VIAL #9 AFDIL 61A	NONE	NO
D239	VIAL C/FINGERNAIL SCRAPINGS MARKED "JEFFREY"	NONE	NO	YES	DENIED	AFDIL 41A	NONE	NO
D256	VIAL CONTAINING DEBRIS INCLUDING "BLOOD CRUSTS" FROM "L. HAND MRS. McDONALD"	MFI-G278	YES	YES	GRANTED	VIAL #13 AFDIL 02A	NONE	NO

Exhibit No.	Description	Trial Exhibit No.	DE-46 1997 DNA Mot	DE-73 1998 Motion to Compel	DE-86 DC Order 12/11/98	Exam by AFIP	AFIP Results DE-123-2	IPA Testing Eligible ?
D22K	STAIN ON KITCHEN FLOOR	NONE	NO	YES	DENIED	NO	NONE	NO
D23K	STAIN ON KITCHEN FLOOR	NONE	NO	YES	DENIED	NO	NONE	NO
D24K	STAIN ON KITCHEN FLOOR	NONE	NO	YES	DENIED	NO	NONE	NO
D25K	STAIN ON KITCHEN FLOOR	GX136	NO	YES	DENIED	NO	NO	NONE
D26K	STAIN ON KITCHEN FLOOR	GX137	NO	YES	DENIED	NO	NO	NONE
D33K	STAIN ON RUBBER GLOVES	NONE	NO	YES	DENIED	NO	NONE	NO

Exhibit No.	Description	Trial Exhibit No.	DE-46 1997 DNA Mot	DE-73 1998 Motion to Compel	DE-86 DC Order 12/11/98	Exam by AFIP	AFIP Results DE-123-2	IPA Testing Eligible ?
D34K	STAINS ON CLOTH GLOVES	NONE	NO	YES	DENIED	NO	NONE	NO
D56NB	GREEN BEDSPREAD BEARING RBS FM NORTH BR	GX364	NO	YES	DENIED	NO	NONE	NO
D58NB	PINK BLANKET BEARING RBS ON BED FM NORTH BR	GX368	NO	YES	DENIED	NO	NONE	NO
E-4	VIAL CONTAINING DEBRIS FM COLETTE'S R. HAND	GX280	NO	YES	DENIED	VIAL # 10 AFDIL 54A	NONE	NO

Exhibit No.	Description	Trial Exhibit No.	DE-46 1997 DNA Mot	DE-73 1998 Motion to Compel	DE-86 DC Order 12/11/98	Exam by AFIP	AFIP Results DE-123-2	IPA Testing Eligible ?
E-5	VIAL CONTAINING DEBRIS FM	GX281	YES	YES	GRANTED	VIAL #13 02A	NONE	NO
E-50	HAIR AND DEBRIS FM HALL BATH SINK	GX340	NO	YES	DENIED	NO	NONE	NO
I-3	LATEX RBS FLOOR MBR	GX106	NO	YES	DENIED	NO	NONE	NO
I-21	LATEX FINGER SECTION RBS FM SHEET MBR FLOOR	GX105	NO	YES	DENIED	NO	NONE	NO
I-213	LATEX RBS FM MBR FLOOR	GX138	NO	YES	DENIED	NO	NONE	NO

Exhibit No.	Description	Trial Exhibit No.	DE-46 1997 DNA Mot	DE-73 1998 Motion to Compel	DE-86 DC Order 12/11/98	Exam by AFIP	AFIP Results DE-123-2	IPA Testing Eligible ?
I-226	LATEX RBS FM COLETTE'S BODY ON MBR FLOOR	G109	NO	YES	DENIED	NO	NONE	NO
O	CUP	NONE	NO	NO	NA	NO	NONE	NO
P	DRINKING GLASS	NONE	NO	NO	NA	NO	NONE	NO
Q	DRINKING GLASS	NONE	NO	NO	NA	NO	NONE	NO
R-1	DRINKING GLASS	NONE	NO	NO	NA	NO	NONE	NO
R-2	DRINKING GLASS	NONE	NO	NO	NA	NO	NONE	NO
Y-2	LOCKING DEVICES NE ENTRANCE	GX318	NO	NO	NA	NO	NONE	NO

Exhibit No.	Description	Trial Exhibit No.	DE-46 1997 DNA Mot	DE-73 1998 Motion to Compel	DE-86 DC Order 12/11/98	Exam by AFIP	AFIP Results DE-123-2	IPA Testing Eligible ?
Y-3	LOCKING DEVICES NW ENTRANCE	GX317	NO	NO	NA	NO	NONE	NO
E-324	KNOWN HAIR EXEMPLARS FM HELENA STOECKLEY	NONE	NO	YES	GRANTED	YES AFDIL-O5A	YES, mtDNA PARTIAL STR's	NO
195A	PARAFFIN REF SAMPLE COLETTE	NONE	NO	YES	GRANTED	YES AFDIL 195A	YES. FULL STR'S/ mtDNA	NO
195B	PARAFFIN REF SAMPLE COLETTE	NO	YES	NO	GRANTED	YES. AFDIL 195B	FULL STR'S/ mtDNA	NO
195E	PARAFFIN REF SAMPLE COLETTE	NO	YES	NO	GRANTED	YES. AFDIL 195E	FULL STR'S/ mtDNA	NO

Exhibit No.	Description	Trial Exhibit No.	DE-46 1997 DNA Mot	DE-73 1998 Motion to Compel	DE-86 DC Order 12/11/98	Exam by AFIP	AFIP Results DE-123-2	IPA Testing Eligible ?
195J	PARAFFIN REF SAMPLE COLETTE	NO	YES	NO	GRANTED	YES, AFDIL 195J	FULL STR'S/ mtDNA	NO
195N	PARAFFIN REF SAMPLE COLETTE	NO	YES	NO	GRANTED	YES. AFDIL 195N	FULL STR'S/ mtDNA	NO
196E	PARAFFIN REF SAMPLE KIMBERLY	NO	YES	NO	GRANTED	YES. AFDIL 195E	FULL STR'S/ mtDNA	NO
196G	PARAFFIN REF SAMPLE KIMBERLY	NO	YES	NO	GRANTED	YES, AFDIL 195G	FULL STR'S/ mtDNA	NO
197A	PARAFFIN REF SAMPLE KRISTEN	NO	YES	NO	GRANTED	YES, AFDIL 197A	FULL STR'S/ mtDNA	NO

Exhibit No.	Description	Trial Exhibit No.	DE-46 1997 DNA Mot	DE-73 1998 Motion to Compel	DE-86 DC Order 12/11/98	Exam by AFIP	AFIP Results DE-123-2	IPA Testing Eligible ?
197C	PARAFFIN REF SAMPLE KRISTEN	NO	YES	NO	GRANTED	YES, AFDIL 197C	FULL STR'S/ mtDNA	NO
197E	PARAFFIN REF SAMPLE KRISTEN	NO	YES	NO	GRANTED	YES. AFDIL 197E	FULL STR'S/ mtDNA	NO
198A	PARAFFIN REF SAMPLE GREG MITCHELL	NO	NO	NO	NO	YES AFDIL 198A	mtDNA PART. STR'S (X,Y)	NO
199A	FRESH BLOOD SAMPLE JEFFREY MACDONALD	NO	NO	NO	NA	YES, AFDIL 199A,	FULL STR'S & mtDNA	NO
D1K	STAIN -NOT BLOOD -ON KITCHEN FLOOR	NO	NO	NO	NA	NO	NO	NO

Exhibit No.	Description	Trial Exhibit No.	DE-46 1997 DNA Mot	DE-73 1998 Motion to Compel	DE-86 DC Order 12/11/98	Exam by AFIP	AFIP Results DE-123-2	IPA Testing Eligible ?
D2K	STAIN -NOT BLOOD- N. DOOR FRAME KITCHEN	NO	NO	NO	NA	NO	NO	NO
D3K	STAIN -NOT BLOOD- S. DOOR FRAME KITCHEN	NO	NO	NO	NA	NO	NO	NO
D5K- D8K	STAINS-NOT BLOOD- FRONT OF FRIDGE.	NO	NO	NO	NA	NO	NO	NO
D9K	STAIN-NOT BLOOD- KITCHEN FLOOR NE CORNER OF FRIDGE	NO	NO	NO	NA	NO	NO	NO

Exhibit No.	Description	Trial Exhibit No.	DE-46 1997 DNA Mot	DE-73 1998 Motion to Compel	DE-86 DC Order 12/11/98	Exam by AFIP	AFIP Results DE-123-2	IPA Testing Eligible ?
D10K	STAIN-NOT BLOOD- LWR SINK CABINET DOOR	NO	NO	NO	NA	NO	NO	NO
D11K- D17K	STAINS-NOT BLOOD- FROM AROUND KITCHEN SINK	NO	NO	NO	NA	NO	NO	NO
D18- D19K	STAINS -NOT BLOOD-FM WASHER	NO	NO	NO	NA	NO	NO	NO